Pain 140 (2008) 523–526

PAIN

www.elsevier.com/locate/pain

Author Index to Volume 140 (2008)

Abdiu, A., see Larsson, B., **140** 479
Aicher, S.A., see Morgan, M.M., **140** 376
Albanesi, A., see Truini, A., **140** 405
Alqudah, A.F., see Hirsh, A.T., **140** 231
Andersen, M.L., see Silva, A., **140** 446
Andrell, P., see Börjesson, M., **140** 501
Aramburo, C., see Martínez-Lorenzana, G., **140** 265
Arendt-Nielsen, L., see Frey Law, L.A., **140** 254
Arendt-Nielsen, L., Sluka, K.A., Nie, H.L., Experimental muscle pain impairs descending inhibition, **140** 465
Assion, H.-J., see Klauenberg, S., **140** 332

Baber, K.F. see Claar, R.L., **140** 368
Bach, F.W., see Kasch, H., **140** 65
Baron, R., Mechanisms of postherpetic neuralgia – We are hot on the scent, **140** 395
Bartoshuk, L.M., see Logan, H.L., **140** 323
Becker, S., Kleinböhl, D., Klossika, I., Hölzl, R., Operant conditioning of enhanced pain sensitivity by heat–pain titration, **140** 104
Bee, L.A., Dickenson, A.H., Descending facilitation from the brainstem determines behavioural and neuronal hypersensitivity following nerve injury and efficacy of pregabalin, **140** 209
Beloeil, H., see Pham-Marcou, T.A., **140** 274
Bendix, T., see Kasch, H., **140** 65
Benhamou, D., see Pham-Marcou, T.A., **140** 274
Benoit, G., see Pham-Marcou, T.A., **140** 274
Biasiotta, A., see Truini, A., **140** 405
Bingel, U., Herken, W., Teutsch, S., May, A., Habituation to painful stimulation involves the antinociceptive system - a 1-year follow-up of 10 participants, **140** 393
Bjaalie, J.G., see Hjornevik, T., **140** 456
Blyth, F.M., Rochat, S., Cumming, R.G., Creasey, H., Handelsman, D.J., Couteur, D.G.L., Naganathan, V., Sambrook, P.N., Seibel, M.J., Waite, L.M., Pain, frailty and comorbidity on older men: The CHAMP study, **140** 224
Börjesson, M., Andrell, P., Lundberg, D., Mannheimer, C., Spinal cord stimulation in severe angina pectoris – A systematic review based on the Swedish Council on Technology assessment in health care report on long-standing pain, **140** 501
Borut, M.S., see George, S.Z., **140** 145
Bradesi, S., see Wang, Z., **140** 244
Brisorgueil, M.-J., see Thibault, K., **140** 305
Bruce, B.K., see Townsend, C.O., **140** 177
Bura, S.A., Nadal, X., Ledent, C., Maldonado, R., Valverde, O., A⊂2A adenosine receptor regulates glia proliferation and pain after peripheral nerve injury, **140** 95
Burkhardt, S., see Lautenbacher, S., **140** 429
Burnstock, G., see Xiang, Z., **140** 23
Bushnell, M.C., see Schweinhardt, P., **140** 411

Butler, R.K., Rea, K., Lang, Y., Gavin, A.M., Finn, D.P., Endocannabinoid-mediated enhancement of fear-conditioned analgesia in rats: Opioid receptor dependency and molecular correlates, **140** 491

Calcutt, N.A., see Jolivalt, C.G., **140** 48
Calvino, B., see Thibault, K., **140** 305
Cameron, A., see Hunter, J., **140** 74
Canedo, A., see Soto, C., **140** 190
Carranza, M., see Martínez-Lorenzana, G., **140** 265
Casey, K.L., see Chizh, B.A., **140** 249
Cere, A.L., see George, S.Z., **140** 145
Cere, M.R., see George, S.Z., **140** 145
Chatelle, C., see Kunz, M., **140** 127
Chimello, J.T., see Gaspardo, C.M., **140** 58
Chizh, B.A., Greenspan, J.D., Casey, K.L., Nemenov, M.I., Treede, R.-D., Identifying biological markers of activity in human nociceptive pathways to facilitate analgesic drug development, **140** 249
Claar, R.L., Baber, K.F., Simons, L.E., Logan, D.E., Walker, L.S., Pain coping profiles in adolescents with chronic pain, **140** 368
Cockburn, L., see Hunter, J., **140** 74
Condés-Lara, M., see Martínez-Lorenzana, G., **140** 265
Conrath, M., see Thibault, K., **140** 305
Cordeiro, M.d.N., see Souza, A.H., **140** 115
Cosper, C.J., see Smith, B.W., **140** 420
Couteur, D.G.L., see Blyth, F.M., **140** 224
Creasey, H., see Blyth, F.M., **140** 224
Cruccu, G., see Truini, A., **140** 405
Cugler, T.S., see Gaspardo, C.M., **140** 58
Cullen, N., see Hunter, J., **140** 74
Cumming, R.G., see Blyth, F.M., **140** 224
Cummons, T.A., see Hummel, M., **140** 436

Dao, T., see Hunter, J., **140** 74
De Castro, C.J., see Souza, A.H., **140** 115
DeJongste, M.J.L., Taylor, R., Can spinal cord stimulation bail out Sisyphus' burden of sufferings? **140** 397
Delitto, A., see Weiner, D.K., **140** 344
Devor, M., Nociception in Kyoto, **140** 520
Dickenson, A.H., see Bee, L.A., **140** 209

Eccleston, C., see Vowles, K.E., **140** 284
Edwards, R.R., Kronfli, T., Haythornthwaite, J.A., Smith, M.T., McGuire, L., Page, G.G., Association of catastrophizing with interleukin-6 responses to acute pain, **140** 135
Eisenach, J.C., Pan, P.H., Smiley, R., Lavand'homme, P., Landau, R., Houle, T.T., Severity of acute pain after childbirth, but not type of delivery, predicts persistent pain and postpartum depression, **140** 87
Espinosa-López, L., see Martínez-Lorenzana, G., **140** 265

doi:10.1016/S0304-3959(08)00696-9

Estlander, A.-M., Knaster, P., Karlsson, H., Kaprio, J., Kalso, E., Pain intensity influences the relationship between anger management style and depression, **140** 387
Ferreira, J., see Souza, A.H., **140** 115
Fillingim, R.B., see Logan, H.L., **140** 323
Finn, D.P., see Ford, G.K., **140** 3
Finn, D.P., see Butler, R.K., **140** 491
Fischer, J., see Thibault, K., **140** 305
Ford, G.K., Finn, D.P., Clinical correlates of stress-induced analgesia: Evidence from pharmacological studies, **140** 3
Frettlöh, J., see Krumova, E.K., **140** 8
Frey Law, L.A., Sluka, K.A., McMullen, T., Lee, J., Arendt-Nielsen, L., Graven-Nielsen, T., Acidic buffer induced muscle pain evokes referred pain and mechanical hyperalgesia in humans, **140** 254
Fujii, Y., Ozaki, N., Taguchi, T., Mizumura, K., Furukawa, K., Sugiura, Y., TRP channels and ASICs mediate mechanical hyperalgesia in models of inflammatory muscle pain and delayed onset muscle soreness, **140** 292
Furukawa, K., see Fujii, Y., **140** 292

Galeotti, F., see Truini, A., **140** 405
Gaspardo, C.M., Chimello, J.T., Cugler, T.S., Martinez, F.E., Linhares, M.B.M., Pain and tactile stimuli during arterial puncture in preterm neonates, **140** 58
Gatti, A., see Truini, A., **140** 405
Gavin, A.M., see Butler, R.K., **140** 491
Gebhart, G.F., see Jensen, T.S., **140** 399
Gentili, M., see Pham-Marcou, T.A., **140** 274
George, S.Z., Zeppieri Jr., G., Cere, A.L., Cere, M.R., Borut, M.S., Hodges, M.J., Reed, D.M., Valencia, C., Robinson, M.E., A randomized trial of behavioral physical therapy interventions for acute and sub-acute low back pain (NCT00373867), **140** 145
Gerdle, B., see Larsson, B., **140** 479
Ghafouri, B., see Larsson, B., **140** 479
Gjerstad, J., see Hjornevik, T., **140** 456
Glick, R.M., see Weiner, D.K., **140** 344
Gomez, M.V., see Souza, A.H., **140** 115
Gordon, A., see Hunter, J., **140** 74
Goto, T., Saitoh, Y., Hashimoto, N., Hirata, M., Kishima, H., Oshino, S., Tani, N., Hosomi, K., Kakigi, R., Yoshimine, T., Diffusion tensor fiber tracking in patients with central post-stroke pain; correlation with efficacy of repetitive transcranial magnetic stimulation, **140** 509
Graven-Nielsen, T., see Frey Law, L.A., **140** 254
Greenspan, J.D., see Chizh, B.A., **140** 249

Haanpaa, M., see Truini, A., **140** 405
Hamon, M., see Thibault, K., **140** 305
Handelsman, D.J., see Blyth, F.M., **140** 224
Hashimoto, N., see Goto, T., **140** 509
Haythornthwaite, J.A., see Edwards, R.R., **140** 135
He, C., see Xiang, Z., **140** 23
Hegarty, D.M., see Morgan, M.M., **140** 376
Herken, W., see Bingel, U., **140** 393
Hirata, M., see Goto, T., **140** 509
Hirsh, A.T., Alqudah, A.F., Stutts, L.A., Robinson, M.E., Virtual human technology: Capturing sex, race, and age influences in individual pain decision policies, **140** 231
Hjornevik, T., Jacobsen, L.M., Qu, H., Bjaalie, J.G., Gjerstad, J., Willoch, F., Metabolic plasticity in the supraspinal pain modulating circuitry after noxious stimulus-induced spinal cord LTP, **140** 456
Hodges, M.J., see George, S.Z., **140** 145
Hodgson, J.E., see Townsend, C.O., **140** 177
Hoffmann, A., see Klauenberg, S., **140** 332
Holschneider, D.P., see Wang, Z., **140** 244
Hölzl, R., see Becker, S., **140** 104
Hooten, W.M., see Townsend, C.O., **140** 177
Hosomi, K., see Goto, T., **140** 509
Houle, T.T., see Eisenach, J.C., **140** 87
Hummel, M., Lu, P., Cummons, T.A., Whiteside, G.T., The persistence of a long-term negative affective state following the induction of either acute or chronic pain, **140** 436
Hunter, J., Watt-Watson, J., McGillion, M., Raman-Wilms, L., Cockburn, L., Lax, L., Stinson, J., Cameron, A., Dao, T., Pennefather, P., Schreiber, M., Librach, L., Kavanagh, T., Gordon, A., Cullen, N., Mock, D., Salter, M., An Interfaculty Pain Curriculum: Lessons learned from six years experience, **140** 74
Gordon, A., Cullen, N., Mock, D., Salter, M.Hunter, J., Watt-Watson, J., McGillion, M., Raman-Wilms, L., Cockburn, L., Lax, L., Stinson, J., Cameron, A., Dao, T., Pennefather, P., Schreiber, M., Librach, L., Kavanagh, T., An Interfaculty Pain Curriculum: Lessons learned from six years experience, **140** 74

Jacobsen, L.M., see Hjornevik, T., **140** 456
Jensen, T.S., see Kasch, H., **140** 65
Jensen, T.S., Gebhart, G.F., New pain terminology: A work in progress**140** 399
Johnson, M.S., Ryals, J.M., Wright, D.E., Early loss of peptidergic intraepidermal nerve fibers in an STZ-induced mouse model of insensate diabetic neuropathy**140** 35
Johnston, C.C., see Walker, C.-D., **140** 167
Jolivalt, C.G., Lee, C.A., Ramos, K.M., Calcutt, N.A., Allodynia and hyperalgesia in diabetic rats are mediated by GABA and depletion of spinal potassium-chloride co-transporters, **140** 48
Juckel, G., see Klauenberg, S., **140** 332

Kakigi, R., see Goto, T., **140** 509
Kalso, E., Paice, J., Global year on cancer pain, **140** 247
Kalso, E., see Estlander, A.-M., **140** 387
Kaprio, J., see Estlander, A.-M., **140** 387
Karlsson, H., see Estlander, A.-M., **140** 387
Kasch, H., Qerama, E., Kongsted, A., Bach, F.W., Bendix, T., Jensen, T.S., Deep muscle pain, tender points and recovery in acute whiplash patients: A 1-year follow-up study, **140** 65
Kavanagh, T., see Hunter, J., **140** 74
Kerkvliet, J.L., see Townsend, C.O., **140** 177
Kishima, H., see Goto, T., **140** 509
Kjaer, M., see Larsson, B., **140** 479
Klauenberg, S., see Krumova, E.K., **140** 8
Klauenberg, S., Maier, C., Assion, H.-J., Hoffmann, A., Krumova, E.K., Magerl, W., Scherens, A., Treede, R.-D., Juckel, G., Depression and changed pain perception: Hints for a central disinhibition mechanism, **140** 332
Kleinböhl, D., see Becker, S., **140** 104
Klossika, I., see Becker, S., **140** 104
Knaster, P., see Estlander, A.-M., **140** 387
Kongsted, A., see Kasch, H., **140** 65
Kristiansen, J., see Larsson, B., **140** 479
Kronfli, T., see Edwards, R.R., **140** 135
Krumova, E.K., Frettlöh, J., Klauenberg, S., Richter, H., Wasner, G., Maier, C., Long-term skin temperature measurements – A practical diagnostic tool in complex regional pain syndrome, **140** 8
Krumova, E.K., see Klauenberg, S., **140** 332
Kuchinad, A., see Schweinhardt, P., **140** 411
Kuner, R., see Luo, C., **140** 358
Kunz, M., see Lautenbacher, S., **140** 429
Kunz, M., Chatelle, C., Lautenbacher, S., Rainville, P., The relation between catastrophizing and facial responsiveness to pain, **140** 127
Kunz, M., Lautenbacher, P., Rainville, P., Response to the "Letter to the Editor of Pain", by Prof. Mick Sullivan, **140** 521

LaMotte, R.H., see Xiang, Z., **140** 23
Landau, R., see Eisenach, J.C., **140** 87
Lang, Y., see Butler, R.K., **140** 491

Larsson, B., Rosendal, L., Kristiansen, J., Sjøgaard, G., Søgaard, K., Ghafouri, B., Abdiu, A., Kjaer, M., Gerdle, B., Responses of algesic and metabolic substances to 8 h of repetitive manual work in myalgic human trapezius muscle, **140** 479
Lautenbacher, S., see Kunz, M., **140** 522
Lautenbacher, S., see Kunz, M., **140** 127
Lautenbacher, S., Kunz, M., Burkhardt, S., The effects of DNIC-type inhibition on temporal summation compared to single pulse processing: Does sex matter? **140** 429
Lavand'homme, P., see Eisenach, J.C., **140** 87
Lax, L., see Hunter, J., **140** 74
Ledent, C., see Bura, S.A., **140** 95
Lee, C.A., see Jolivalt, C.G., **140** 48
Lee, J., see Frey Law, L.A., **140** 254
Lee, K., see Wang, Z., **140** 244
Leiras, R., see Soto, C., **140** 190
Li, X., see Xiang, Z., **140** 23
Librach, L., see Hunter, J., **140** 74
Lim, G., see Yang, L., **140** 472
Linhares, M.B.M., see Gaspardo, C.M., **140** 58
Loeser, J.D., Treede, R.-D., Reply to the letter-to-the-editor by Devor, **140** 521
Logan, D.E. see Claar, R.L., **140** 368
Logan, H.L., Bartoshuk, L.M., Fillingim, R.B., Tomar, S.L., Mendenhall, W.M., Metallic taste phantom predicts oral pain among 5-year survivors of head and neck cancer, **140** 323
Lu, P., see Hummel, M., **140** 436
Luedtke, C.A., see Townsend, C.O., **140** 177
Lundberg, D., see Börjesson, M., **140** 501
Luo, C., Seeburg, P.H., Sprengel, R., Kuner, R., Activity-dependent potentiation of calcium signals in spinal sensory networks in inflammatory pain states, **140** 358

Maarek, J.-M.I., see Wang, Z., **140** 244
Magerl, W., see Klauenberg, S., **140** 332
Maier, C., see Klauenberg, S., **140** 332
Maier, C., see Krumova, E.K., **140** 8
Maldonado, R., see Bura, S.A., **140** 95
Mannheimer, C., see Börjesson, M., **140** 501
Mao, J., see Yang, L., **140** 472
Mao, Y., see Xiang, Z., **140** 23
Martín-Cora, F.J., see Soto, C., **140** 190
Martínez-Lorenzana, G., Espinosa-López, L., Carranza, M., Aramburo, C., Paz-Tres, C., Rojas-Piloni, G., Condés-Lara, M., PVN electrical stimulation prolongs withdrawal latencies and releases oxytocin in cerebrospinal fluid, plasma, and spinal cord tissue in intact and neuropathic rats, **140** 265
Martinez, F.E., see Gaspardo, C.M., **140** 58
May, A., see Bingel, U., **140** 393
Mayer, E.A., see Wang, Z., **140** 244
Mazoit, J.-X., see Pham-Marcou, T.A., **140** 274
McCracken, L.M., see Vowles, K.E., **140** 284
McGillion, M., see Hunter, J., **140** 74
McGuire, L., see Edwards, R.R., **140** 135
McLeod, C., see Vowles, K.E., **140** 284
McMullen, T., see Frey Law, L.A., **140** 254
Mendenhall, W.M., see Logan, H.L., **140** 323
Mizumura, K., see Fujii, Y., **140** 292
Mock, D., see Hunter, J., **140** 74
Montague, E.Q., see Smith, B.W., **140** 420
Morgan, M.M., Whittier, K.L., Hegarty, D.M., Aicher, S.A., Periaqueductal gray neurons project to spinally projecting GABAergic neurons in the rostral ventromedial medulla, **140** 376
Moseley, G.L., I can't find it! Distorted body image and tactile dysfunction in patients with chronic back pain, **140** 239
Mullins, P.G., see Smith, B.W., **140** 420

Nadal, X., see Bura, S.A., **140** 95
Naganathan, V., see Blyth, F.M., **140** 224
Nemenov, M.I., see Chizh, B.A., **140** 249
Ni, X., see Xiang, Z., **140** 23
Nie, H.L., see Arendt-Nielsen, L., **140** 465

Oshino, S., see Goto, T., **140** 509
Ozaki, N., see Fujii, Y., **140** 292

Page, G.G., see Edwards, R.R., **140** 135
Paice, J., see Kalso, E., **140** 247
Pan, P.H., see Eisenach, J.C., **140** 87
Patel, R., see Price, D.D., **140** 158
Paz-Tres, C., see Martínez-Lorenzana, G., **140** 265
Pennefather, P., see Hunter, J., **140** 74
Perera, S., see Weiner, D.K., **140** 344
Pham-Marcou, T.A., Beloeil, H., Sun, X., Gentili, M., Yaici, D., Benoit, G., Benhamou, D., Mazoit, J.-X., Antinociceptive effect of resveratrol in carrageenan-evoked hyperalgesia in rats: Prolonged effect related to COX-2 expression impairment, **140** 274
Prado, M.A.M., see Souza, A.H., **140** 115
Prado, V.F., see Souza, A.H., **140** 115
Price, D.D., Patel, R., Robinson, M.E., Staud, R., Characteristics of electronic visual analogue and numerical scales for ratings of experimental pain in healthy subjects and fibromyalgia patients, **140** 158
Pukall, C.F., see Schweinhardt, P., **140** 411

Qerama, E., see Kasch, H., **140** 65
Qu, H., see Hjornevik, T., **140** 456

Rainville, P., see Kunz, M., **140** 522
Rainville, P., see Kunz, M., **140** 127
Raman-Wilms, L., see Hunter, J., **140** 74
Ramos, K.M., see Jolivalt, C.G., **140** 48
Rea, K., see Butler, R.K., **140** 491
Reed, D.M., see George, S.Z., **140** 145
Reis, H., see Souza, A.H., **140** 115
Richardson, M., see Souza, A.H., **140** 115
Richter, H., see Krumova, E.K., **140** 8
Robinson, A.E., see Smith, B.W., **140** 420
Robinson, M.E., see George, S.Z., **140** 145
Robinson, M.E., see Hirsh, A.T., **140** 231
Robinson, M.E., see Price, D.D., **140** 158
Rochat, S., see Blyth, F.M., **140** 224
Rochford, J., see Walker, C.-D., **140** 167
Rojas-Piloni, G., see Martínez-Lorenzana, G., **140** 265
Rome, J.D., see Townsend, C.O., **140** 177
Rosendal, L., see Larsson, B., **140** 479
Rowbotham, M.C., The impact of selective publication on clinical research in pain, **140** 401
Rudy, T.E., see Weiner, D.K., **140** 344
Ryals, J.M., see Johnson, M.S., **140** 35

Saitoh, Y., see Goto, T., **140** 509
Salter, M., see Hunter, J., **140** 74
Sambrook, P.N., see Blyth, F.M., **140** 224
Scherens, A., see Klauenberg, S., **140** 332
Schreiber, M., see Hunter, J., **140** 74
Schweinhardt, P., Kuchinad, A., Pukall, C.F., Bushnell, M.C., Increased gray matter density in young women with chronic vulvar pain, **140** 411
Seeburg, P.H., see Luo, C., **140** 358
Seibel, M.J., see Blyth, F.M., **140** 224
Shenoy, S., see Weiner, D.K., **140** 344
Silva, A., Andersen, M.L., Tufik, S., Sleep pattern in an experimental model of osteoarthritis, **140** 446

Simon, L.E., see Claar, R.L., **140** 368
Sjøgaard, G., see Larsson, B., **140** 479
Sluka, K.A., see Frey Law, L.A., **140** 254
Sluka, K.A., see Arendt-Nielsen, L., **140** 465
Smiley, R., see Eisenach, J.C., **140** 87
Smith, B.W., Tooley, E.M., Montague, E.Q., Robinson, A.E., Cosper, C.J., Mullins, P.G., Habituation and sensitization to heat and cold pain in women with fibromyalgia and healthy controls, **140** 420
Smith, M.T., see Edwards, R.R., **140** 135
Søgaard, K., see Larsson, B., **140** 479
Soto, C., Martín-Cora, F.J., Leiras, R., Velo, P., Canedo, A., Processing noxious information at the subnucleus reticularis dorsalis (SRD) of anesthetized cats: Wind-up mechanisms, **140** 190
Souza, A.H., Ferreira, J., Cordeiro, M.d.N., Vieira, L.B., De Castro, C.J., Trevisan, G., Reis, H., Souza, I.A., Richardson, M., Prado, M.A.M., Prado, V.F., Gomez, M.V., Analgesic effect in rodents of native and recombinant Phα1β toxin, a high-voltage-activated calcium channel blocker isolated from armed spider venom, **140** 115
Souza, I.A., see Souza, A.H., **140** 115
Sprengel, R., see Luo, C., **140** 358
Staud, R., see Price, D.D., **140** 158
Steenwinckel, J.V., see Thibault, K., **140** 305
Stinson, J., see Hunter, J., **140** 74
Stutts, L.A., see Hirsh, A.T., **140** 231
Sugiura, Y., see Fujii, Y., **140** 292
Sullivan, M.J.L., Self-report of pain threshold is an act of communication: Comment on Kunz et al. "The relation between catastrophizing and facial responsiveness to pain", **140** 521
Sun, J., see Xiang, Z., **140** 23
Sun, X., see Pham-Marcou, T.A., **140** 274
Sung, B., see Yang, L., **140** 472
Sluka, K.A., Nie, H.L.Arendt-Nielsen, L., Experimental muscle pain impairs descending inhibition, **140** 465
Sullivan, M.J.L.Kunz, M., Lautenbacher, S., Rainville, P., Response to the "Letter to the Editor of Pain" by Prof. Mick Sullivan, **140** 522

Taguchi, T., see Fujii, Y., **140** 292
Tani, N., see Goto, T., **140** 509
Taylor, R., see DeJongste, M.J.L., **140** 397
Teutsch, S., see Bingel, U., **140** 393
Thibault, K., Steenwinckel, J.V., Brisorgueil, M.-J., Fischer, J., Hamon, M., Calvino, B., Conrath, M., Serotonin 5-HT2A receptor involvement and Fos expression at the spinal level in vincristine-induced neuropathy in the rat, **140** 305
Thielke, S.M., Unützer, J., Pain is not a benign symptom among older adults: Comment on Blyth et al., "pain, frailty, and comorbidity in older men: The CHAMP study", **140** 1
Tomar, S.L., see Logan, H.L., **140** 323
Tooley, E.M., see Smith, B.W., **140** 420
Townsend, C.O., Kerkvliet, J.L., Bruce, B.K., Rome, J.D., Hooten, W.M., Luedtke, C.A., Hodgson, J.E., A longitudinal study of the efficacy of a comprehensive pain rehabilitation program with opioid withdrawal: Comparison of treatment outcomes based on opioid use status at admission, **140** 177
Treede, R.-D., see Klauenberg, S., **140** 332
Treede, R.-D., see Loeser, J.D., **140** 521
Treede, R.-D., see Chizh, B.A., **140** 249
Trevisan, G., see Souza, A.H., **140** 115
Truini, A., Galeotti, F., Haanpaa, M., Zucchi, R., Albanesi, A., Biasiotta, A., Gatti, A., Cruccu, G., Pathophysiology of pain in postherpetic neuralgia: A clinical and neurophysiological study, **140** 405
Tufik, S., see Silva, A., **140** 446

Unützer, J., see Thielke, S.M., **140** 1

Valencia, C., see George, S.Z., **140** 145
Valverde, O., see Bura, S.A., **140** 95
Velo, P., see Soto, C., **140** 190
Vieira, L.B., see Souza, A.H., **140** 115
Vowles, K.E., McCracken, L.M., McLeod, C., Eccleston, C., The Chronic Pain Acceptance Questionnaire: Confirmatory factor analysis and identification of patient subgroups, **140** 284

Waite, L.M., see Blyth, F.M., **140** 224
Walker, C.-D., Xu, Z., Rochford, J., Johnston, C.C., Naturally occurring variations in maternal care modulate the effects of repeated neonatal pain on behavioral sensitivity to thermal pain in the adult offspring, **140** 167
Walker, L.S. see Claar, R.L., **140** 368
Wang, S., see Yang, L., **140** 472
Wang, Z., Bradesi, S., Maarek, J.-M.I., Lee, K., Winchester, W.J., Mayer, E.A., Holschneider, D.P., Erratum to "Regional brain activation in conscious, nonrestrained rats in response to noxious visceral stimulation" [Pain 138(2008) 233–243], **140** 244
Wasner, G., see Krumova, E.K., **140** 8
Watt-Watson, J., see Hunter, J., **140** 74
Weiner, D.K., Perera, S., Rudy, T.E., Glick, R.M., Shenoy, S., Delitto, A., Efficacy of percutaneous electrical nerve stimulation and therapeutic exercise for older adults with chronic low back pain: A randomized controlled trial, **140** 344
Whiteside, G.T., see Hummel, M., **140** 436
Whittier, K.L., see Morgan, M.M., **140** 376
Willoch, F., see Hjornevik, T., **140** 456
Winchester, W.J., see Wang, Z., **140** 244
Wright, D.E., see Johnson, M.S., **140** 35

Xiang, Z., Xiong, Y., Yan, N., Li, X., Mao, Y., Ni, X., He, C., LaMotte, R.H., Burnstock, G., Sun, J., Functional up-regulation of P2X⊂3 receptors in the chronically compressed dorsal root ganglion, **140** 23
Xiong, Y., see Xiang, Z., **140** 23
Xu, Z., see Walker, C.-D., **140** 167

Yaici, D., see Pham-Marcou, T.A., **140** 274
Yan, N., see Xiang, Z., **140** 23
Yang, L., Wang, S., Lim, G., Sung, B., Zeng, Q., Mao, J., Inhibition of the ubiquitin–proteasome activity prevents glutamate transporter degradation and morphine tolerance, **140** 472
Yoshimine, T., see Goto, T., **140** 509

Zeng, Q., see Yang, L., **140** 472
Zeppieri Jr., G., see George, S.Z., **140** 145
Zucchi, R., see Truini, A., **140** 405

Pain 140 (2008) 527–533

PAIN

www.elsevier.com/locate/pain

Subject Index to Volume 140 (2008)

Aδ and C pathways
Processing noxious information at the subnucleus reticularis dorsalis (SRD) of anesthetized cats: Wind-up mechanisms, **140**, 190
A_{2A} adenosine receptor
A_{2A} adenosine receptor regulates glia proliferation and pain after peripheral nerve injury, **140**, 95
A_{2A} knockout mice
A_{2A} adenosine receptor regulates glia proliferation and pain after peripheral nerve injury, **140**, 95
Acceptance
The Chronic Pain Acceptance Questionnaire: Confirmatory factor analysis and identification of patient subgroups, **140**, 284
Adolescents
Pain coping profiles in adolescents with chronic pain, **140**, 368
Affect
The persistence of a long-term negative affective state following the induction of either acute or chronic pain, **140**, 436
Age differences
Virtual human technology: Capturing sex, race, and age influences in individual pain decision policies, **140**, 231
AMPA receptors
Activity-dependent potentiation of calcium signals in spinal sensory networks in inflammatory pain states, **140**, 358
Amygdala
Endocannabinoid-mediated enhancement of fear-conditioned analgesia in rats: Opioid receptor dependency and molecular correlates, **140**, 491
Analgesia
A_{2A} adenosine receptor regulates glia proliferation and pain after peripheral nerve injury, **140**, 95
Analgesia
PVN electrical stimulation prolongs withdrawal latencies and releases oxytocin in cerebrospinal fluid, plasma, and spinal cord tissue in intact and neuropathic rats, **140**, 265
Analgesic action
Analgesic effect in rodents of native and recombinant Phα1β toxin, a high-voltage-activated calcium channel blocker isolated from armed spider venom, **140**, 115
Anger management style
Pain intensity influences the relationship between anger management style and depression, **140**, 387
Anhedonia
The persistence of a long-term negative affective state following the induction of either acute or chronic pain, **140**, 436
Antinociception
Periaqueductal gray neurons project to spinally projecting GABAergic neurons in the rostral ventromedial medulla, **140**, 376
Anxiety
Endocannabinoid-mediated enhancement of fear-conditioned analgesia in rats: Opioid receptor dependency and molecular correlates, **140**, 491
ASICs
TRP channels and ASICs mediate mechanical hyperalgesia in models of inflammatory muscle pain and delayed onset muscle soreness, **140**, 292
Astrocytes
A_{2A} adenosine receptor regulates glia proliferation and pain after peripheral nerve injury, **140**, 95
Behavior
Early loss of peptidergic intraepidermal nerve fibers in an STZ-induced mouse model of insensate diabetic neuropathy, **140**, 35
Behavioral psychology
Operant conditioning of enhanced pain sensitivity by heat–pain titration, **140**, 104
Blink reflex
Pathophysiology of pain in postherpetic neuralgia: A clinical and neurophysiological study, **140**, 405
Blood flow
Responses of algesic and metabolic substances to 8 h of repetitive manual work in myalgic human trapezius muscle, **140**, 479
Body schema
I can't find it! Distorted body image and tactile dysfunction in patients with chronic back pain, **140**, 239
c-Fos
Antinociceptive effect of resveratrol in carrageenan-evoked hyperalgesia in rats: Prolonged effect related to COX-2 expression impairment, **140**, 274
Calcium-imaging
Activity-dependent potentiation of calcium signals in spinal sensory networks in inflammatory pain states, **140**, 358
Cannabinoid
Endocannabinoid-mediated enhancement of fear-conditioned analgesia in rats: Opioid receptor dependency and molecular correlates, **140**, 491
Carrageenan
Antinociceptive effect of resveratrol in carrageenan-evoked hyperalgesia in rats: Prolonged effect related to COX-2 expression impairment, **140**, 274
TRP channels and ASICs mediate mechanical hyperalgesia in models of inflammatory muscle pain and delayed onset muscle soreness, **140**, 292
Catastrophizing
Association of catastrophizing with interleukin-6 responses to acute pain, **140**, 135
Central pain
Diffusion tensor fiber tracking in patients with central post-stroke pain; correlation with efficacy of repetitive transcranial magnetic stimulation, **140**, 509
Central sensitization
Acidic buffer induced muscle pain evokes referred pain and mechanical hyperalgesia in humans, **140**, 254

doi:10.1016/S0304-3959(08)00697-0

Cerebral alterations
Increased gray matter density in young women with chronic vulvar pain, **140**, 411
Chemotherapy
Serotonin 5-HT2A receptor involvement and Fos expression at the spinal level in vincristine-induced neuropathy in the rat, **140**, 305
Chronic low back pain
Efficacy of percutaneous electrical nerve stimulation and therapeutic exercise for older adults with chronic low back pain: A randomized controlled trial, **140**, 344
Chronic pain
A longitudinal study of the efficacy of a comprehensive pain rehabilitation program with opioid withdrawal: Comparison of treatment outcomes based on opioid use status at admission, **140**, 177
I can't find it! Distorted body image and tactile dysfunction in patients with chronic back pain, **140**, 239
Operant conditioning of enhanced pain sensitivity by heat–pain titration, **140**, 104
Pain coping profiles in adolescents with chronic pain, **140**, 368
Pain intensity influences the relationship between anger management style and depression, **140**, 387
The Chronic Pain Acceptance Questionnaire: Confirmatory factor analysis and identification of patient subgroups, **140**, 284
Chronic Pain Acceptance Questionnaire
The Chronic Pain Acceptance Questionnaire: Confirmatory factor analysis and identification of patient subgroups, **140**, 284
Clinical pain
Increased gray matter density in young women with chronic vulvar pain, **140**, 411
Cluster analysis
The Chronic Pain Acceptance Questionnaire: Confirmatory factor analysis and identification of patient subgroups, **140**, 284
Cognitive behavior
A longitudinal study of the efficacy of a comprehensive pain rehabilitation program with opioid withdrawal: Comparison of treatment outcomes based on opioid use status at admission, **140**, 177
Cold pain
Habituation and sensitization to heat and cold pain in women with fibromyalgia and healthy controls, **140**, 420
Cold pressor
Experimental muscle pain impairs descending inhibition, **140**, 465
Comorbidity
Pain, frailty and comorbidity on older men: The CHAMP study, **140**, 224
Complex regional pain syndrome
Long-term skin temperature measurements – A practical diagnostic tool in complex regional pain syndrome, **140**, 8
ω-Conotoxin MVIIA
Analgesic effect in rodents of native and recombinant Phα1β toxin, a high-voltage-activated calcium channel blocker isolated from armed spider venom, **140**, 115
Consciousness
I can't find it! Distorted body image and tactile dysfunction in patients with chronic back pain, **140**, 239
Coping
Pain coping profiles in adolescents with chronic pain, **140**, 368
Cortical reorganisation
I can't find it! Distorted body image and tactile dysfunction in patients with chronic back pain, **140**, 239
Corticospinal tract
Diffusion tensor fiber tracking in patients with central post-stroke pain; correlation with efficacy of repetitive transcranial magnetic stimulation, **140**, 509
Cortisol
Association of catastrophizing with interleukin-6 responses to acute pain, **140**, 135
Cyclooygenase
Antinociceptive effect of resveratrol in carrageenan-evoked hyperalgesia in rats: Prolonged effect related to COX-2 expression impairment, **140**, 274
Decision policies
Virtual human technology: Capturing sex, race, and age influences in individual pain decision policies, **140**, 231
Delayed onset muscle soreness
TRP channels and ASICs mediate mechanical hyperalgesia in models of inflammatory muscle pain and delayed onset muscle soreness, **140**, 292
Depressed mood
Pain, frailty and comorbidity on older men: The CHAMP study, **140**, 224
Depression
Depression and changed pain perception: Hints for a central disinhibition mechanism, **140**, 332
Pain intensity influences the relationship between anger management style and depression, **140**, 387
Severity of acute pain after childbirth, but not type of delivery, predicts persistent pain and postpartum depression, **140**, 87
Diabetes
Allodynia and hyperalgesia in diabetic rats are mediated by GABA and depletion of spinal potassium-chloride co-transporters, **140**, 48
Early loss of peptidergic intraepidermal nerve fibers in an STZ-induced mouse model of insensate diabetic neuropathy, **140**, 35
Diagnostic criteria
Long-term skin temperature measurements – A practical diagnostic tool in complex regional pain syndrome, **140**, 8
Disinhibition
Depression and changed pain perception: Hints for a central disinhibition mechanism, **140**, 332
DNIC
Experimental muscle pain impairs descending inhibition, **140**, 465
The effects of DNIC-type inhibition on temporal summation compared to single pulse processing: Does sex matter?, **140**, 429
Dorsal root ganglia
Serotonin 5-HT2A receptor involvement and Fos expression at the spinal level in vincristine-induced neuropathy in the rat, **140**, 305
Dorsal root ganglion
Functional up-regulation of $P2X_3$ receptors in the chronically compressed dorsal root ganglion, **140**, 23
DRG
TRP channels and ASICs mediate mechanical hyperalgesia in models of inflammatory muscle pain and delayed onset muscle soreness, **140**, 292
EAAC1
Inhibition of the ubiquitin–proteasome activity prevents glutamate transporter degradation and morphine tolerance, **140**, 472
Eccentric contraction
TRP channels and ASICs mediate mechanical hyperalgesia in models of inflammatory muscle pain and delayed onset muscle soreness, **140**, 292
EEG
Sleep pattern in an experimental model of osteoarthritis, **140**, 446
Endogenous mechanism
PVN electrical stimulation prolongs withdrawal latencies and releases oxytocin in cerebrospinal fluid, plasma, and spinal cord tissue in intact and neuropathic rats, **140**, 265
ERK
Functional up-regulation of $P2X_3$ receptors in the chronically compressed dorsal root ganglion, **140**, 23

Exercise
Efficacy of percutaneous electrical nerve stimulation and therapeutic exercise for older adults with chronic low back pain: A randomized controlled trial, **140**, 344
Experimental muscle pain
Experimental muscle pain impairs descending inhibition, **140**, 465
Experimental pain
Acidic buffer induced muscle pain evokes referred pain and mechanical hyperalgesia in humans, **140**, 254
Experimental pain
Association of catastrophizing with interleukin-6 responses to acute pain, **140**, 135
Extracellular signal-regulated kinase
Endocannabinoid-mediated enhancement of fear-conditioned analgesia in rats: Opioid receptor dependency and molecular correlates, **140**, 491
Facial expression of pain
The relation between catastrophizing and facial responsiveness to pain, **140**, 127
Facial responsiveness
The relation between catastrophizing and facial responsiveness to pain, **140**, 127
Factor analysis
The Chronic Pain Acceptance Questionnaire: Confirmatory factor analysis and identification of patient subgroups, **140**, 284
Fear
Endocannabinoid-mediated enhancement of fear-conditioned analgesia in rats: Opioid receptor dependency and molecular correlates, **140**, 491
Fear-avoidance beliefs
A randomized trial of behavioral physical therapy interventions for acute and sub-acute low back pain (NCT00373867), **140**, 145
Fiber tracking
Diffusion tensor fiber tracking in patients with central post-stroke pain; correlation with efficacy of repetitive transcranial magnetic stimulation, **140**, 509
Fibromyalgia
Characteristics of electronic visual analogue and numerical scales for ratings of experimental pain in healthy subjects and fibromyalgia patients, **140**, 158
Habituation and sensitization to heat and cold pain in women with fibromyalgia and healthy controls, **140**, 420
Fibromyalgia syndrome
Depression and changed pain perception: Hints for a central disinhibition mechanism, **140**, 332
Formalin
Naturally occurring variations in maternal care modulate the effects of repeated neonatal pain on behavioral sensitivity to thermal pain in the adult offspring, **140**, 167
Frail elderly
Pain, frailty and comorbidity on older men: The CHAMP study, **140**, 224
GABA
Allodynia and hyperalgesia in diabetic rats are mediated by GABA and depletion of spinal potassium-chloride co-transporters, **140**, 48
Gastrocnemius muscle
TRP channels and ASICs mediate mechanical hyperalgesia in models of inflammatory muscle pain and delayed onset muscle soreness, **140**, 292
Genetic algorithm
Adaptive iteractive genetic algorithms with individual interval fitness, **140**, 359
GLAST
Inhibition of the ubiquitin–proteasome activity prevents glutamate transporter degradation and morphine tolerance, **140**, 472
GLT-1
Inhibition of the ubiquitin–proteasome activity prevents glutamate transporter degradation and morphine tolerance, **140**, 472
Glutamate
Responses of algesic and metabolic substances to 8 h of repetitive manual work in myalgic human trapezius muscle, **140**, 479
Glutamate transporter
Inhibition of the ubiquitin–proteasome activity prevents glutamate transporter degradation and morphine tolerance, **140**, 472
Habituation
Habituation and sensitization to heat and cold pain in women with fibromyalgia and healthy controls, **140**, 420
Hargreaves test
Naturally occurring variations in maternal care modulate the effects of repeated neonatal pain on behavioral sensitivity to thermal pain in the adult offspring, **140**, 167
Head and neck cancer
Metallic taste phantom predicts oral pain among 5-year survivors of head and neck cancer, **140**, 323
Health sciences
An Interfaculty Pain Curriculum: Lessons learned from six years experience, **140**, 74
Heat pain
Habituation and sensitization to heat and cold pain in women with fibromyalgia and healthy controls, **140**, 420
Hot plate
Sleep pattern in an experimental model of osteoarthritis, **140**, 446
5HT
Descending facilitation from the brainstem determines behavioural and neuronal hypersensitivity following nerve injury and efficacy of pregabalin, **140**, 209
Hyperalgesia
Activity-dependent potentiation of calcium signals in spinal sensory networks in inflammatory pain states, **140**, 358
Hyperalgesia
Antinociceptive effect of resveratrol in carrageenan-evoked hyperalgesia in rats: Prolonged effect related to COX-2 expression impairment, **140**, 274
Immunocytochemistry
Periaqueductal gray neurons project to spinally projecting GABAergic neurons in the rostral ventromedial medulla, **140**, 376
Immunocytochemistry
Serotonin 5-HT2A receptor involvement and Fos expression at the spinal level in vincristine-induced neuropathy in the rat, **140**, 305
Implicit learning
Operant conditioning of enhanced pain sensitivity by heat–pain titration, **140**, 104
Inflammation
The persistence of a long-term negative affective state following the induction of either acute or chronic pain, **140**, 436
TRP channels and ASICs mediate mechanical hyperalgesia in models of inflammatory muscle pain and delayed onset muscle soreness, **140**, 292
Interaction
Adaptive iteractive genetic algorithms with individual interval fitness, **140**, 359
Inhibition
Experimental muscle pain impairs descending inhibition, **140**, 465
Interdisciplinary pain rehabilitation
A longitudinal study of the efficacy of a comprehensive pain rehabilitation program with opioid withdrawal: Comparison of treatment outcomes based on opioid use status at admission, **140**, 177
Interleukin-6
Association of catastrophizing with interleukin-6 responses to acute pain, **140**, 135

Interprofessional pain education
An Interfaculty Pain Curriculum: Lessons learned from six years experience, **140**, 74
Interval
Adaptive iteractive genetic algorithms with individual interval fitness, **140**, 359
Intracutaneous and spinal stimulation
Processing noxious information at the subnucleus reticularis dorsalis (SRD) of anesthetized cats: Wind-up mechanisms, **140**, 190
KCC2
Allodynia and hyperalgesia in diabetic rats are mediated by GABA and depletion of spinal potassium-chloride co-transporters, **140**, 48
Knee joint
Sleep pattern in an experimental model of osteoarthritis, **140**, 446
Laser evoked potentials
Pathophysiology of pain in postherpetic neuralgia: A clinical and neurophysiological study, **140**, 405
Long-term potentiation
Metabolic plasticity in the supraspinal pain modulating circuitry after noxious stimulus-induced spinal cord LTP, **140**, 456
Male
Pain, frailty and comorbidity on older men: The CHAMP study, **140**, 224
Maternal behavior
Naturally occurring variations in maternal care modulate the effects of repeated neonatal pain on behavioral sensitivity to thermal pain in the adult offspring, **140**, 167
MDL 11,939
Serotonin 5-HT2A receptor involvement and Fos expression at the spinal level in vincristine-induced neuropathy in the rat, **140**, 305
Mechanical hyperalgesia
TRP channels and ASICs mediate mechanical hyperalgesia in models of inflammatory muscle pain and delayed onset muscle soreness, **140**, 292
Medullary reticular formation
Processing noxious information at the subnucleus reticularis dorsalis (SRD) of anesthetized cats: Wind-up mechanisms, **140**, 190
Metabolism
Metabolic plasticity in the supraspinal pain modulating circuitry after noxious stimulus-induced spinal cord LTP, **140**, 456
MG-132
Inhibition of the ubiquitin–proteasome activity prevents glutamate transporter degradation and morphine tolerance, **140**, 472
Microglia
A_{2A} adenosine receptor regulates glia proliferation and pain after peripheral nerve injury, **140**, 95
Microglial activation
Increased gray matter density in young women with chronic vulvar pain, **140**, 411
Microiontophoresis
Processing noxious information at the subnucleus reticularis dorsalis (SRD) of anesthetized cats: Wind-up mechanisms, **140**, 190
Morphine tolerance
Inhibition of the ubiquitin–proteasome activity prevents glutamate transporter degradation and morphine tolerance, **140**, 472
Motivation
The persistence of a long-term negative affective state following the induction of either acute or chronic pain, **140**, 436
MrgD
Early loss of peptidergic intraepidermal nerve fibers in an STZ-induced mouse model of insensate diabetic neuropathy, **140**, 35
Muscle
Deep muscle pain, tender points and recovery in acute whiplash patients: A 1-year follow-up study, **140**, 65
Muscle pain
Responses of algesic and metabolic substances to 8 h of repetitive manual work in myalgic human trapezius muscle, **140**, 479
TRP channels and ASICs mediate mechanical hyperalgesia in models of inflammatory muscle pain and delayed onset muscle soreness, **140**, 292
Myalgia
Acidic buffer induced muscle pain evokes referred pain and mechanical hyperalgesia in humans, **140**, 254
Neonatal pain
Naturally occurring variations in maternal care modulate the effects of repeated neonatal pain on behavioral sensitivity to thermal pain in the adult offspring, **140**, 167
Nerve injury
Functional up-regulation of $P2X_3$ receptors in the chronically compressed dorsal root ganglion, **140**, 23
Neuronal degeneration
Increased gray matter density in young women with chronic vulvar pain, **140**, 411
Neuropathic
The persistence of a long-term negative affective state following the induction of either acute or chronic pain, **140**, 436
Neuropathic pain
A_{2A} adenosine receptor regulates glia proliferation and pain after peripheral nerve injury, **140**, 95
Neuropathic pain
Functional up-regulation of $P2X_3$ receptors in the chronically compressed dorsal root ganglion, **140**, 23
Neuropathic pain
Pathophysiology of pain in postherpetic neuralgia: A clinical and neurophysiological study, **140**, 405
Neuropathy
Allodynia and hyperalgesia in diabetic rats are mediated by GABA and depletion of spinal potassium-chloride co-transporters, **140**, 48
Neuropathy
Descending facilitation from the brainstem determines behavioural and neuronal hypersensitivity following nerve injury and efficacy of pregabalin, **140**, 209
Neuropathy
Early loss of peptidergic intraepidermal nerve fibers in an STZ-induced mouse model of insensate diabetic neuropathy, **140**, 35
NICU
Pain and tactile stimuli during arterial puncture in preterm neonates, **140**, 58
NMDA receptors
Activity-dependent potentiation of calcium signals in spinal sensory networks in inflammatory pain states, **140**, 358
Nociception
Responses of algesic and metabolic substances to 8 h of repetitive manual work in myalgic human trapezius muscle, **140**, 479
Nociceptive modulation
Metabolic plasticity in the supraspinal pain modulating circuitry after noxious stimulus-induced spinal cord LTP, **140**, 456
Nociceptor
Early loss of peptidergic intraepidermal nerve fibers in an STZ-induced mouse model of insensate diabetic neuropathy, **140**, 35
Novel objects
The persistence of a long-term negative affective state following the induction of either acute or chronic pain, **140**, 436
Noxious stimulation
Metabolic plasticity in the supraspinal pain modulating circuitry after noxious stimulus-induced spinal cord LTP, **140**, 456
Obstetrics
Severity of acute pain after childbirth, but not type of delivery, predicts persistent pain and postpartum depression, **140**, 87
Older adults
Efficacy of percutaneous electrical nerve stimulation and therapeutic exercise for older adults with chronic low back pain: A randomized controlled trial, **140**, 344

Operant conditioning
Operant conditioning of enhanced pain sensitivity by heat–pain titration, **140**, 104
Opioid
Endocannabinoid-mediated enhancement of fear-conditioned analgesia in rats: Opioid receptor dependency and molecular correlates, **140**, 491
Opioid therapy
A longitudinal study of the efficacy of a comprehensive pain rehabilitation program with opioid withdrawal: Comparison of treatment outcomes based on opioid use status at admission, **140**, 177
Opioid withdrawal
A longitudinal study of the efficacy of a comprehensive pain rehabilitation program with opioid withdrawal: Comparison of treatment outcomes based on opioid use status at admission, **140**, 177
Optimization
Adaptive iteractive genetic algorithms with individual interval fitness, **140**, 359
Osteoarthritis
Sleep pattern in an experimental model of osteoarthritis, **140**, 446
Oxytocin
PVN electrical stimulation prolongs withdrawal latencies and releases oxytocin in cerebrospinal fluid, plasma, and spinal cord tissue in intact and neuropathic rats, **140**, 265
P2X receptor
Functional up-regulation of $P2X_3$ receptors in the chronically compressed dorsal root ganglion, **140**, 23
$P2X_3$
TRP channels and ASICs mediate mechanical hyperalgesia in models of inflammatory muscle pain and delayed onset muscle soreness, **140**, 292
Pain
Allodynia and hyperalgesia in diabetic rats are mediated by GABA and depletion of spinal potassium-chloride co-transporters, **140**, 48
Pain
Deep muscle pain, tender points and recovery in acute whiplash patients: A 1-year follow-up study, **140**, 65
Pain
Descending facilitation from the brainstem determines behavioural and neuronal hypersensitivity following nerve injury and efficacy of pregabalin, **140**, 209
Pain
Early loss of peptidergic intraepidermal nerve fibers in an STZ-induced mouse model of insensate diabetic neuropathy, **140**, 35
Pain
Endocannabinoid-mediated enhancement of fear-conditioned analgesia in rats: Opioid receptor dependency and molecular correlates, **140**, 491
Pain
Metallic taste phantom predicts oral pain among 5-year survivors of head and neck cancer, **140**, 323
Pain
Pain and tactile stimuli during arterial puncture in preterm neonates, **140**, 58
Pain
Pain, frailty and comorbidity on older men: The CHAMP study, **140**, 224
Pain
PVN electrical stimulation prolongs withdrawal latencies and releases oxytocin in cerebrospinal fluid, plasma, and spinal cord tissue in intact and neuropathic rats, **140**, 265
Pain
Severity of acute pain after childbirth, but not type of delivery, predicts persistent pain and postpartum depression, **140**, 87
Pain
Sleep pattern in an experimental model of osteoarthritis, **140**, 446
Pain
The impact of selective publication on clinical research in pain, **140**, 401
Pain assessment
Virtual human technology: Capturing sex, race, and age influences in individual pain decision policies, **140**, 231
Pain behaviour
Serotonin 5-HT2A receptor involvement and Fos expression at the spinal level in vincristine-induced neuropathy in the rat, **140**, 305
Pain behaviour
The relation between catastrophizing and facial responsiveness to pain, **140**, 127
Pain catastrophizing
A randomized trial of behavioral physical therapy interventions for acute and sub-acute low back pain (NCT00373867), **140**, 145
Pain catastrophizing
The relation between catastrophizing and facial responsiveness to pain, **140**, 127
Pain modulation
Periaqueductal gray neurons project to spinally projecting GABAergic neurons in the rostral ventromedial medulla, **140**, 376
Pain scales
Characteristics of electronic visual analogue and numerical scales for ratings of experimental pain in healthy subjects and fibromyalgia patients, **140**, 158
Paraventricular nucleus
PVN electrical stimulation prolongs withdrawal latencies and releases oxytocin in cerebrospinal fluid, plasma, and spinal cord tissue in intact and neuropathic rats, **140**, 265
Percutaneous electrical nerve stimulation
Efficacy of percutaneous electrical nerve stimulation and therapeutic exercise for older adults with chronic low back pain: A randomized controlled trial, **140**, 344
Phoneutria toxin
Analgesic effect in rodents of native and recombinant Phα1β toxin, a high-voltage-activated calcium channel blocker isolated from armed spider venom, **140**, 115
Positron emission tomography
Metabolic plasticity in the supraspinal pain modulating circuitry after noxious stimulus-induced spinal cord LTP, **140**, 456
Postherpetic neuralgia
Pathophysiology of pain in postherpetic neuralgia: A clinical and neurophysiological study, **140**, 405
Postoperative
Severity of acute pain after childbirth, but not type of delivery, predicts persistent pain and postpartum depression, **140**, 87
Pre-licensure
An Interfaculty Pain Curriculum: Lessons learned from six years experience, **140**, 74
Pre-qualifying
An Interfaculty Pain Curriculum: Lessons learned from six years experience, **140**, 74
Pre-registration
An Interfaculty Pain Curriculum: Lessons learned from six years experience, **140**, 74
Pregabalin
Descending facilitation from the brainstem determines behavioural and neuronal hypersensitivity following nerve injury and efficacy of pregabalin, **140**, 209
Pressure algometry
Deep muscle pain, tender points and recovery in acute whiplash patients: A 1-year follow-up study, **140**, 65
Pressure pain thresholds
Acidic buffer induced muscle pain evokes referred pain and mechanical hyperalgesia in humans, **140**, 254

Preterm
Pain and tactile stimuli during arterial puncture in preterm neonates, **140**, 58
Primary afferents
Activity-dependent potentiation of calcium signals in spinal sensory networks in inflammatory pain states, **140**, 358
Proability of genetic operator
Adaptive iteractive genetic algorithms with individual interval fitness, **140**, 359
Pro-inflammatory
Association of catastrophizing with interleukin-6 responses to acute pain, **140**, 135
Prospective study
Deep muscle pain, tender points and recovery in acute whiplash patients: A 1-year follow-up study, **140**, 65
Psychophysics
Characteristics of electronic visual analogue and numerical scales for ratings of experimental pain in healthy subjects and fibromyalgia patients, **140**, 158
Pyruvate
Responses of algesic and metabolic substances to 8 h of repetitive manual work in myalgic human trapezius muscle, **140**, 479
Quantitative sensory testing
Depression and changed pain perception: Hints for a central disinhibition mechanism, **140**, 332
Race differences
Virtual human technology: Capturing sex, race, and age influences in individual pain decision policies, **140**, 231
Rat
Endocannabinoid-mediated enhancement of fear-conditioned analgesia in rats: Opioid receptor dependency and molecular correlates, **140**, 491
Rat brain
Metabolic plasticity in the supraspinal pain modulating circuitry after noxious stimulus-induced spinal cord LTP, **140**, 456
Ratio scales
Characteristics of electronic visual analogue and numerical scales for ratings of experimental pain in healthy subjects and fibromyalgia patients, **140**, 158
Rats
Sleep pattern in an experimental model of osteoarthritis, **140**, 446
Recombinant toxin
Analgesic effect in rodents of native and recombinant Phα1β toxin, a high-voltage-activated calcium channel blocker isolated from armed spider venom, **140**, 115
Refractory angina pectoris
Spinal cord stimulation in severe angina pectoris – A systematic review based on the Swedish Council on Technology assessment in health care report on long-standing pain, **140**, 501
Repetitive magnetic stimulation
Diffusion tensor fiber tracking in patients with central post-stroke pain; correlation with efficacy of repetitive transcranial magnetic stimulation, **140**, 509
Resveratrol
Antinociceptive effect of resveratrol in carrageenan-evoked hyperalgesia in rats: Prolonged effect related to COX-2 expression impairment, **140**, 274
RVM
Descending facilitation from the brainstem determines behavioural and neuronal hypersensitivity following nerve injury and efficacy of pregabalin, **140**, 209
Scaling
Characteristics of electronic visual analogue and numerical scales for ratings of experimental pain in healthy subjects and fibromyalgia patients, **140**, 158
Secondary prevention
A randomized trial of behavioral physical therapy interventions for acute and sub-acute low back pain (NCT00373867), **140**, 145
Sensitization
Habituation and sensitization to heat and cold pain in women with fibromyalgia and healthy controls, **140**, 420
Sensitization
Operant conditioning of enhanced pain sensitivity by heat–pain titration, **140**, 104
Serotonergic dysfunction
Depression and changed pain perception: Hints for a central disinhibition mechanism, **140**, 332
Serotonin
Responses of algesic and metabolic substances to 8 h of repetitive manual work in myalgic human trapezius muscle, **140**, 479
Sex differences
Characteristics of electronic visual analogue and numerical scales for ratings of experimental pain in healthy subjects and fibromyalgia patients, **140**, 158
Sex differences
The effects of DNIC-type inhibition on temporal summation compared to single pulse processing: Does sex matter?, **140**, 429
Sex differences
Virtual human technology: Capturing sex, race, and age influences in individual pain decision policies, **140**, 231
Side effects
Analgesic effect in rodents of native and recombinant Phα1β toxin, a high-voltage-activated calcium channel blocker isolated from armed spider venom, **140**, 115
Skin temperature
Long-term skin temperature measurements – A practical diagnostic tool in complex regional pain syndrome, **140**, 8
Sleep
Sleep pattern in an experimental model of osteoarthritis, **140**, 446
Spinal cord
Activity-dependent potentiation of calcium signals in spinal sensory networks in inflammatory pain states, **140**, 358
Spinal cord
Allodynia and hyperalgesia in diabetic rats are mediated by GABA and depletion of spinal potassium-chloride co-transporters, **140**, 48
Spinal cord
Descending facilitation from the brainstem determines behavioural and neuronal hypersensitivity following nerve injury and efficacy of pregabalin, **140**, 209
Spinal cord stimulation
Spinal cord stimulation in severe angina pectoris – A systematic review based on the Swedish Council on Technology assessment in health care report on long-standing pain, **140**, 501
Stimulus–response
Deep muscle pain, tender points and recovery in acute whiplash patients: A 1-year follow-up study, **140**, 65
Stress
Naturally occurring variations in maternal care modulate the effects of repeated neonatal pain on behavioral sensitivity to thermal pain in the adult offspring, **140**, 167
Structural magnetic resonance imaging
Increased gray matter density in young women with chronic vulvar pain, **140**, 411
Subthreshold oscillations
Processing noxious information at the subnucleus reticularis dorsalis (SRD) of anesthetized cats: Wind-up mechanisms, **140**, 190
Survival
Metallic taste phantom predicts oral pain among 5-year survivors of head and neck cancer, **140**, 323
Sympathetic nervous system
Long-term skin temperature measurements – A practical diagnostic tool in complex regional pain syndrome, **140**, 8

Systematic review
Spinal cord stimulation in severe angina pectoris – A systematic review based on the Swedish Council on Technology assessment in health care report on long-standing pain, **140**, 501
Tactile stimuli
Pain and tactile stimuli during arterial puncture in preterm neonates, **140**, 58
Temporal summation
The effects of DNIC-type inhibition on temporal summation compared to single pulse processing: Does sex matter?, **140**, 429
Tenderness
TRP channels and ASICs mediate mechanical hyperalgesia in models of inflammatory muscle pain and delayed onset muscle soreness, **140**, 292
Thalamocortical tract
Diffusion tensor fiber tracking in patients with central post-stroke pain; correlation with efficacy of repetitive transcranial magnetic stimulation, **140**, 509
Thermoregulation
Long-term skin temperature measurements – A practical diagnostic tool in complex regional pain syndrome, **140**, 8
Topical review
The impact of selective publication on clinical research in pain, **140**, 401
Treatment-based classification
A randomized trial of behavioral physical therapy interventions for acute and sub-acute low back pain (NCT00373867), **140**, 145
TRP channels
TRP channels and ASICs mediate mechanical hyperalgesia in models of inflammatory muscle pain and delayed onset muscle soreness, **140**, 292
Two-point discrimination
I can't find it! Distorted body image and tactile dysfunction in patients with chronic back pain, **140**, 239
Ultrastructure
Serotonin 5-HT2A receptor involvement and Fos expression at the spinal level in vincristine-induced neuropathy in the rat, **140**, 305
URB597
Endocannabinoid-mediated enhancement of fear-conditioned analgesia in rats: Opioid receptor dependency and molecular correlates, **140**, 491
Very low birth weight
Pain and tactile stimuli during arterial puncture in preterm neonates, **140**, 58
Virtual technology
Virtual human technology: Capturing sex, race, and age influences in individual pain decision policies, **140**, 231
Visual analogue scale
Characteristics of electronic visual analogue and numerical scales for ratings of experimental pain in healthy subjects and fibromyalgia patients, **140**, 158
Voxel-based morphometry
Increased gray matter density in young women with chronic vulvar pain, **140**, 411
Whiplash injury
Deep muscle pain, tender points and recovery in acute whiplash patients: A 1-year follow-up study, **140**, 65
Wind-up
Depression and changed pain perception: Hints for a central disinhibition mechanism, **140**, 332
Wind-up
The effects of DNIC-type inhibition on temporal sum-mation compared to single pulse processing: Does sex matter?, **140**, 429
Women's health
Severity of acute pain after childbirth, but not type of delivery, predicts persistent pain and postpartum depression, **140**, 87
Work
Responses of algesic and metabolic substances to 8 h of repetitive manual work in myalgic human trapezius muscle, **140**, 479

Pain 140 (2008) 534–537

PAIN

www.elsevier.com/locate/pain

Contents to Volume 140 (2008)

Number 1 – 15 November 2008

EDITORIAL

Pain is not a benign symptom among older adults: Comment on Blyth et al., "pain, frailty, and comorbidity in older men: The CHAMP study"
S.M. Thielke, J. Unützer (USA) 1

TOPICAL REVIEW

Clinical correlates of stress-induced analgesia: Evidence from pharmacological studies
G.K. Ford, D.P. Finn (Ireland) 3

RESEARCH PAPERS

Long-term skin temperature measurements – A practical diagnostic tool in complex regional pain syndrome
E.K. Krumova, J. Frettlöh, S. Klauenberg, H. Richter, G. Wasner, C. Maier (Germany) 8

Functional up-regulation of $P2X_3$ receptors in the chronically compressed dorsal root ganglion
Z. Xiang, Y. Xiong, N. Yan, X. Li, Y. Mao, X. Ni, C. He, R.H. LaMotte, G. Burnstock, J. Sun (PR China, USA, UK) 23

Early loss of peptidergic intraepidermal nerve fibers in an STZ-induced mouse model of insensate diabetic neuropathy
M.S. Johnson, J.M. Ryals, D.E. Wright (USA) 35

Allodynia and hyperalgesia in diabetic rats are mediated by GABA and depletion of spinal potassium-chloride co-transporters
C.G. Jolivalt, C.A. Lee, K.M. Ramos, N.A. Calcutt (USA) 48

Pain and tactile stimuli during arterial puncture in preterm neonates
C.M. Gaspardo, J.T. Chimello, T.S. Cugler, F.E. Martinez, M.B.M. Linhares (Brazil) 58

Deep muscle pain, tender points and recovery in acute whiplash patients: A 1-year follow-up study
H. Kasch, E. Qerama, A. Kongsted, F.W. Bach, T. Bendix, T.S. Jensen (Denmark) 65

An Interfaculty Pain Curriculum: Lessons learned from six years experience
J. Hunter, J. Watt-Watson, M. McGillion, L. Raman-Wilms, L. Cockburn, L. Lax, J. Stinson, A. Cameron, T. Dao, P. Pennefather, M. Schreiber, L. Librach, T. Kavanagh, A. Gordon, N. Cullen, D. Mock, M. Salter (Canada) 74

Severity of acute pain after childbirth, but not type of delivery, predicts persistent pain and postpartum depression
J.C. Eisenach, P.H. Pan, R. Smiley, P. Lavand'homme, R. Landau, T.T. Houle (USA, Belgium, Switzerland) 87

A_{2A} adenosine receptor regulates glia proliferation and pain after peripheral nerve injury
S.A. Bura, X. Nadal, C. Ledent, R. Maldonado, O. Valverde (Spain, Belgium) 95

Operant conditioning of enhanced pain sensitivity by heat–pain titration
S. Becker, D. Kleinböhl, I. Klossika, R. Hölzl (Germany) 104

Analgesic effect in rodents of native and recombinant Phα1β toxin, a high-voltage-activated calcium channel blocker isolated from armed spider venom
A.H. Souza, J. Ferreira, M. do Nascimento Cordeiro, L.B. Vieira, C.J. De Castro, G. Trevisan, H. Reis, I.A. Souza, M. Richardson, M.A.M. Prado, V.F. Prado, M.V. Gomez (Brazil, Cananda) 115

The relation between catastrophizing and facial responsiveness to pain
M. Kunz, C. Chatelle, S. Lautenbacher, P. Rainville (Canada, Germany, Belgium) 127

Association of catastrophizing with interleukin-6 responses to acute pain
R.R. Edwards, T. Kronfli, J.A. Haythornthwaite, M.T. Smith, L. McGuire, G.G. Page (USA) 135

A randomized trial of behavioral physical therapy interventions for acute and sub-acute low back pain (NCT00373867)
S.Z. George, G. Zeppieri Jr., A.L. Cere, M.R. Cere, M.S. Borut, M.J. Hodges, D.M. Reed, C. Valencia, M.E. Robinson (USA) 145

Characteristics of electronic visual analogue and numerical scales for ratings of experimental pain in healthy subjects and fibromyalgia patients
D.D. Price, R. Patel, M.E. Robinson, R. Staud (USA) 158

doi:10.1016/S0304-3959(08)00698-2

Naturally occurring variations in maternal care modulate the effects of repeated neonatal pain on behavioral sensitivity to thermal pain in the adult offspring
C.-D. Walker, Z. Xu, J. Rochford, C.C. Johnston (Canada) 167
A longitudinal study of the efficacy of a comprehensive pain rehabilitation program with opioid withdrawal: Comparison of treatment outcomes based on opioid use status at admission
C.O. Townsend, J.L. Kerkvliet, B.K. Bruce, J.D. Rome, W.M. Hooten, C.A. Luedtke, J.E. Hodgson (USA) 177
Processing noxious information at the subnucleus reticularis dorsalis (SRD) of anesthetized cats: Wind-up mechanisms
C. Soto, F.J. Martín-Cora, R. Leiras, P. Velo, A. Canedo (Spain) 190
Descending facilitation from the brainstem determines behavioural and neuronal hypersensitivity following nerve injury and efficacy of pregabalin
L.A. Bee, A.H. Dickenson (UK) 209
Pain, frailty and comorbidity on older men: The CHAMP study*
F.M. Blyth, S. Rochat, R.G. Cumming, H. Creasey, D.J. Handelsman, D.G. Le Couteur, V. Naganathan, P.N. Sambrook, M.J. Seibel, L.M. Waite (Australia, Switzerland) 224
Virtual human technology: Capturing sex, race, and age influences in individual pain decision policies
A.T. Hirsh, A.F. Alqudah, L.A. Stutts, M.E. Robinson (USA, Jordan) 231

CLINICAL NOTE

I can't find it! Distorted body image and tactile dysfunction in patients with chronic back pain
G.L. Moseley (UK) 239

ERRATUM

Erratum to "Regional brain activation in conscious, nonrestrained rats in response to noxious visceral stimulation" [Pain 138 (2008) 233–243]
Z. Wang, S. Bradesi, J.-M.I. Maarek, K. Lee, W.J. Winchester, E.A. Mayer, D.P. Holschneider (USA, UK) 244

*An Editorial regarding this article can be found in this issue of *PAIN*

Number 2 – 30 November 2008

EDITORIAL

Global year on cancer pain
E. Kalso, J. Paice (Finland) 247

TOPICAL REVIEW

Identifying biological markers of activity in human nociceptive pathways to facilitate analgesic drug development
B.A. Chizh, J.D. Greenspan, K.L. Casey, M.I. Nemenov, R.-D. Treede (UK, USA, Germany) 249

RESEARCH PAPERS

Acidic buffer induced muscle pain evokes referred pain and mechanical hyperalgesia in humans
L.A. Frey Law, K.A. Sluka, T. McMullen, J. Lee, L. Arendt-Nielsen, T. Graven-Nielsen (USA, Denmark) 254
PVN electrical stimulation prolongs withdrawal latencies and releases oxytocin in cerebrospinal fluid, plasma, and spinal cord tissue in intact and neuropathic rats
G. Martínez-Lorenzana, L. Espinosa-López, M. Carranza, C. Aramburo, C. Paz-Tres, G. Rojas-Piloni, M. Condés-Lara (México) 265
Antinociceptive effect of resveratrol in carrageenan-evoked hyperalgesia in rats: Prolonged effect related to COX-2 expression impairment
T.A. Pham-Marcou, H. Beloeil, X. Sun, M. Gentili, D. Yaici, G. Benoit, D. Benhamou, J.-X. Mazoit (France) 274
The Chronic Pain Acceptance Questionnaire: Confirmatory factor analysis and identification of patient subgroups
K.E. Vowles, L.M. McCracken, C. McLeod, C. Eccleston (UK) 284
TRP channels and ASICs mediate mechanical hyperalgesia in models of inflammatory muscle pain and delayed onset muscle soreness
Y. Fujii, N. Ozaki, T. Taguchi, K. Mizumura, K. Furukawa, Y. Sugiura (Japan) 292
Serotonin 5-HT2A receptor involvement and Fos expression at the spinal level in vincristine-induced neuropathy in the rat
K. Thibault, J. Van Steenwinckel, M.-J. Brisorgueil, J. Fischer, M. Hamon, B. Calvino, M. Conrath (France) 305
Metallic taste phantom predicts oral pain among 5-year survivors of head and neck cancer
H.L. Logan, L.M. Bartoshuk, R.B. Fillingim, S.L. Tomar, W.M. Mendenhall (USA) 323
Depression and changed pain perception: Hints for a central disinhibition mechanism
S. Klauenberg, C. Maier, H.-J. Assion, A. Hoffmann, E.K. Krumova, W. Magerl, A. Scherens, R.-D. Treede, G. Juckel (Germany) 332
Efficacy of percutaneous electrical nerve stimulation and therapeutic exercise for older adults with chronic low back pain: A randomized controlled trial
D.K. Weiner, S. Perera, T.E. Rudy, R.M. Glick, S. Shenoy, A. Delitto (USA) 344
Activity-dependent potentiation of calcium signals in spinal sensory networks in inflammatory pain states
C. Luo, P.H. Seeburg, R. Sprengel, R. Kuner (Germany) 358

Pain coping profiles in adolescents with chronic pain
R.L. Claar, K.F. Baber, L.E. Simons, D.E. Logan, L.S. Walker (USA) 368
Periaqueductal gray neurons project to spinally projecting GABAergic neurons in the rostral ventromedial medulla
M.M. Morgan, K.L. Whittier, D.M. Hegarty, S.A. Aicher (USA) 376
Pain intensity influences the relationship between anger management style and depression
A.-M. Estlander, P. Knaster, H. Karlsson, J. Kaprio, E. Kalso (Finland) 387

LETTER TO THE EDITOR

Habituation to painful stimulation involves the antinociceptive system - a 1-year follow-up of 10 participants
U. Bingel, W. Herken, S. Teutsch, A. May (Germany) 393

Number 3 – December 2008

EDITORIALS

Mechanisms of postherpetic neuralgia – We are hot on the scent
R. Baron (Germany) 395
Can spinal cord stimulation bail out Sisyphus' burden of sufferings?
M.J.L. DeJongste, R. Taylor (The Netherlands, UK) 397
New pain terminology: A work in progress
T.S. Jensen, G.F. Gebhart (USA) 399

TOPICAL REVIEW

The impact of selective publication on clinical research in pain
M.C. Rowbotham (USA) 401

RESEARCH PAPERS

Pathophysiology of pain in postherpetic neuralgia: A clinical and neurophysiological study*
A. Truini, F. Galeotti, M. Haanpaa, R. Zucchi, A. Albanesi, A. Biasiotta, A. Gatti, G. Cruccu (Italy, Finland) 405
Increased gray matter density in young women with chronic vulvar pain
P. Schweinhardt, A. Kuchinad, C.F. Pukall, M.C. Bushnell (Canada) 411
Habituation and sensitization to heat and cold pain in women with fibromyalgia and healthy controls
B.W. Smith, E.M. Tooley, E.Q. Montague, A.E. Robinson, C.J. Cosper, P.G. Mullins (USA, UK) 420
The effects of DNIC-type inhibition on temporal summation compared to single pulse processing: Does sex matter?
S. Lautenbacher, M. Kunz, S. Burkhardt (Germany, Canada) 429
The persistence of a long-term negative affective state following the induction of either acute or chronic pain
M. Hummel, P. Lu, T.A. Cummons, G.T. Whiteside (USA) 436
Sleep pattern in an experimental model of osteoarthritis
A. Silva, M.L. Andersen, S. Tufik (Brazil) 446
Metabolic plasticity in the supraspinal pain modulating circuitry after noxious stimulus-induced spinal cord LTP
T. Hjornevik, L.M. Jacobsen, H. Qu, J.G. Bjaalie, J. Gjerstad, F. Willoch (Norway) 456
Experimental muscle pain impairs descending inhibition
L. Arendt-Nielsen, K.A. Sluka, H.L. Nie (Denmark, USA) 465
Inhibition of the ubiquitin–proteasome activity prevents glutamate transporter degradation and morphine tolerance
L. Yang, S. Wang, G. Lim, B. Sung, Q. Zeng, J. Mao (USA) 472
Responses of algesic and metabolic substances to 8 h of repetitive manual work in myalgic human trapezius muscle
B. Larsson, L. Rosendal, J. Kristiansen, G. Sjøgaard, K. Søgaard, B. Ghafouri, A. Abdiu, M. Kjaer, B. Gerdle (Sweden, Denmark) 479
Endocannabinoid-mediated enhancement of fear-conditioned analgesia in rats: Opioid receptor dependency and molecular correlates
R.K. Butler, K. Rea, Y. Lang, A.M. Gavin, D.P. Finn (Ireland) 491
Spinal cord stimulation in severe angina pectoris – A systematic review based on the Swedish Council on Technology assessment in health care report on long-standing pain*
M. Börjesson, P. Andrell, D. Lundberg, C. Mannheimer (Sweden) 501
Diffusion tensor fiber tracking in patients with central post-stroke pain; correlation with efficacy of repetitive transcranial magnetic stimulation
T. Goto, Y. Saitoh, N. Hashimoto, M. Hirata, H. Kishima, S. Oshino, N. Tani, K. Hosomi, R. Kakigi, T. Yoshimine (Japan) 509

LETTERS TO THE EDITOR

Nociception in Kyoto*
M. Devor (Israel) 519
Reply to the letter-to-the-editor by Devor*
J.D. Loeser, R.-D. Treede (USA) 520
Self-report of pain threshold is an act of communication: Comment on Kunz et al. "The relation between catastrophizing and facial responsiveness to pain"
M.J.L. Sullivan (Canada) 521

Response to the "Letter to the Editor of Pain" by Prof. Mick Sullivan
M. Kunz, S. Lautenbacher, P. Rainville (Germany, Canada) 521

Author Index to Volume 140 523

Subject Index to Volume 140 527

Contents to Volume 140 534

Thanks to Reviewers 538

*An Editorial regarding this article can be found in this issue of *PAIN*